

IN THE CLAIMS

This listing of claims replaces all prior listings:

1. (Currently Amended) A display unit, comprising:

a display panel including a substrate on which a plurality of display devices ~~is~~ are formed, and a protective film formed directly on both (a) the substrate and (b) the plurality of display devices for protecting the plurality of display devices; and

a flexible touch panel which (a) is composed of plastic films, (b) is directly bonded to a whole face of the display panel with an adhesive layer in between, and (c) detects contact with a suitable contact element thereon,

wherein,

the adhesive layer is in direct contact with both the protective film and one of the plastic films,

each of the plurality of the display devices has an organic emitting layer and is made of organic electro luminescence material,

the protective film seals the plurality of display devices from the touch panel ~~organic emitting layer~~, and

the display ~~panel is sealed of~~ devices are isolated from the flexible touch panel.

2. (Cancelled)

3. (Previously Presented) The display unit according to claim 1, wherein the touch panel has a structure includes two plastic films, in which respective transparent electrodes are formed, are layered so that the transparent electrodes are placed opposite to each other.

4. – 5. (Cancelled)

Serial No.: 10/674,255
Docket No.: 09792909-5694
Amendment dated August 17, 2009
Reply to the Office Action of April 15, 2009

6. (Currently Amended) The display unit according to claim 1, wherein ~~the~~ each organic layer includes a light emitting layer between a first electrode and a second electrode, and the respective display device is an organic light emitting device which extracts the lights generated in the light emitting layer from the second electrode side.

7. - 14. (Cancelled)

15. (Previously Presented) The display unit according to claim 1, wherein the suitable contact element is a finger or a pen.

16. (Cancelled)

17. (New) A display panel comprising:

a driving panel having a substrate with a plurality of display devices thereon and a protective film formed directly on both (a) the substrate and (b) the plurality of display devices;

a flexible touch panel which (a) is composed of plastic films and (b) detects contact with a suitable contact element thereon; and

a sealing panel between the driving panel and the touch panel,

wherein,

the driving panel and sealing panel are secured together by means of a first adhesive layer,

the touch panel and the sealing panel are secured together by means of a second adhesive layer,

Serial No.: 10/674,255
Docket No.: 09792909-5694
Amendment dated August 17, 2009
Reply to the Office Action of April 15, 2009

| the protective film is effective to isolate the plurality of display devices from
moisture,

the protective film includes an inorganic material,

each of the plurality of display devices has an organic emitting layer, and

the sealing panel has a sufficiently rigid layer effective to isolate the plurality of
display devices from the touch panel.